

Data Sheets

Heated Towel Rails


ENSUITE ROUND





Ensuite 7 bar ROUND MENR7





Width centres	Vertical centres	15 Vear Warkanty Stanless
415mm	720mm	

- Notes: Wiring connection is either LH or RH bottom leg and can be a concealed or exposed connection.
 - It should be positioned at least 600mm above the floor.

ENSUITE ROUND

Product Code MENR7

Dimensions (mm) 450(w) x 920(h) x 120(d)

Features

7 bars

Hand polished mirror finish

High grade stainless steel

Dual wired - can connect from LH or RH bottom leg

> Polished stainless steel end caps

Concealed wiring kit included

All fixing accessories included


Additional information

60watts, 230-240 Volts, 50 Hz single phase

Class 1 appliance - requires an earth connection

Ingress Protection Rating - IP45 Splashproof





Notes: • Wiring connection is either LH or RH bottom leg and can be a concealed or exposed connection.

• It should be positioned at least 600mm above the floor.

Heated Towel Rails

ENSUITE ROUND

Product Code MENR10

Dimensions (mm) 450(w) x 1340(h) x 120(d)

Features

10 bars

Hand polished mirror finish

High grade stainless steel

Dual wired - can connect from LH or RH bottom leg

> Polished stainless steel end caps

Concealed wiring kit included

All fixing accessories included

Additional information

80watts, 230-240 Volts, 50 Hz single phase

Class 1 appliance - requires an earth connection

Ingress Protection Rating - IP45 Splashproof