



Data Sheets

Heated Towel Rails

JERSEY
ROUND

tranquillity
bathroomware



Jersey 4 bar ROUND
ER4

AVAILABLE IN
5 finishes



POLISHED
STAINLESS



JAGUAR
BLACK



BRUSHED
STAINLESS



BRUSHED
GUN-METAL



BRUSHED
BRASS

Heated Towel Rails

JERSEY ROUND

4 BAR

Product Codes

ER4/ ER4 Black/ ER4 BSS
/ER4 GM/ ER4 Brass

Dimensions (mm)

550(w) x 500(h) x 120(d)

Features

4 bars

Hand polished mirror finish

High grade stainless steel

Dual wired - can connect
from LH or RH bottom leg

Concealed wiring kit included

All fixing accessories included


Additional information

40watts, 230-240 Volts,
50 Hz single phase

Class 1 appliance - requires an
earth connection

Ingress Protection Rating -
IP45 Splashproof

Drawing



Width centres	Vertical centres
520mm	300mm



- Notes:**
- Wiring connection is either LH or RH bottom leg and can be a concealed or exposed connection.
 - It should be positioned at least 600mm above the floor.

Tranquillity New Zealand Ltd

NEW ZEALAND T 0800 805 558 E info@tbw.co.nz W tbw.co.nz

AUSTRALIA T 1300 621 151 E info@formebathroomcollection.com.au W formebathroomcollection.com.au



Jersey 6 bar POLISHED
ER6

AVAILABLE IN

5 finishes



POLISHED
STAINLESS



JAGUAR
BLACK



BRUSHED
STAINLESS



BRUSHED
GUN-METAL



BRUSHED
BRASS

Heated Towel Rails

JERSEY ROUND

6 BAR


Product Code

ER6/ ER6 BLACK/ ER6 BSS/
ER6 GM/ ER6 Brass

Dimensions (mm)

600(w) x 780(h) x 120(d)

Drawing



Width centres

Vertical centres

580mm

550mm



Features

6 bars

Hand polished mirror finish

High grade stainless steel

Dual wired - can connect from
LH or RH bottom leg

Concealed wiring kit included

All fixing accessories included

Additional information

60watts, 230-240 Volts,
50 Hz single phase

Class 1 appliance - requires an
earth connection

Ingress Protection Rating -
IP45 Splashproof

- Notes:**
- Wiring connection is either LH or RH bottom leg and can be a concealed or exposed connection.
 - It should be positioned at least 600mm above the floor.

Tranquillity New Zealand Ltd

NEW ZEALAND T 0800 805 558 E info@tbw.co.nz W tbw.co.nz

AUSTRALIA T 1300 621 151 E info@formebathroomcollection.com.au W formebathroomcollection.com.au



Jersey 9 bar ROUND
ER9

AVAILABLE IN

5 finishes



POLISHED
STAINLESS



JAGUAR
BLACK



BRUSHED
STAINLESS



BRUSHED
GUN-METAL



BRUSHED
BRASS

Heated Towel Rails



JERSEY ROUND 9 BAR

Product Code
ER9/ ER9 Black/ ER9 BSS
ER9 GM/ER9 Brass

Dimensions (mm)
600(w) x 1200(h) x 120(d)

Features
9 bars

Drawing



Width centres

Vertical centres

570mm

1000mm

5
YEAR
WARRANTY
STAINLESS

- Notes:**
- Wiring connection is either LH or RH bottom leg and can be a concealed or exposed connection.
 - It should be positioned at least 600mm above the floor.

Hand polished mirror finish

High grade stainless steel

Dual wired - can connect from
LH or RH bottom leg

Concealed wiring kit included

All fixing accessories included

Additional information

90watts, 230-240 Volts,
50 Hz single phase

Class 1 appliance - requires an
earth connection

Ingress Protection Rating - IP45
Splashproof

Tranquillity New Zealand Ltd

NEW ZEALAND T 0800 805 558 E info@tbw.co.nz W tbw.co.nz

AUSTRALIA T 1300 621 151 E info@formebathroomcollection.com.au W formebathroomcollection.com.au



Data Sheets

Heated Towel Rails

JERSEY
SQUARE



Jersey 4 bar SQUARE
MS4

AVAILABLE IN

5 finishes



POLISHED
STAINLESS



JAGUAR
BLACK



BRUSHED
STAINLESS



BRUSHED
GUN-METAL



BRUSHED
BRASS

Heated Towel Rails

JERSEY SQUARE 4 BAR


Product Code

MS4/MS4 Black/MS4 BSS
MS4 GM/MS4 Brass

Dimensions (mm)

620(w) x 500(h) x 120(d)

Drawing



Width centres

595mm

Vertical centres

300mm



Features

4 bars

Hand polished mirror finish

High grade stainless steel

Dual wired - can connect from
LH or RH bottom leg

Concealed wiring kit included

All fixing accessories included

Additional information

40watts, 230-240 Volts,
50 Hz single phase

Class 1 appliance - requires an
earth connection

Ingress Protection Rating - IP45
Splashproof

- Notes:**
- Wiring connection is either LH or RH bottom leg and can be a concealed or exposed connection.
 - It should be positioned at least 600mm above the floor.

Tranquillity New Zealand Ltd

NEW ZEALAND T 0800 805 558 E info@tbw.co.nz W tbw.co.nz

AUSTRALIA T 1300 621 151 E info@formebathroomcollection.com.au W formebathroomcollection.com.au



Jersey 7 bar POLISHED
MS7

AVAILABLE IN

5 finishes



POLISHED
STAINLESS



JAGUAR
BLACK



BRUSHED
STAINLESS



BRUSHED
GUN-METAL



BRUSHED
BRASS

Heated Towel Rails

JERSEY SQUARE 7 BAR

Product Code

MS7/ MS7 Black/ MS7
BSS/ MS7 GM/ MS7 Brass

Dimensions (mm)

620(w) x 920(h) x 120(d)

Features

7 bars

Hand polished mirror finish

High grade stainless steel

Dual wired - can connect from
LH or RH bottom leg

Concealed wiring kit included

All fixing accessories included


Additional information

80watts, 230-240 Volts,
50 Hz single phase

Class 1 appliance - requires an
earth connection

Ingress Protection Rating -
IP45 Splashproof

Drawing



Width centres

Vertical centres

595mm

720mm



- Notes:**
- Wiring connection is either LH or RH bottom leg and can be a concealed or exposed connection.
 - It should be positioned at least 600mm above the floor.

Tranquillity New Zealand Ltd






NEW ZEALAND T 0800 805 558 E info@tbw.co.nz W tbw.co.nz

AUSTRALIA T 1300 621 151 E info@formebathroomcollection.com.au W formebathroomcollection.com.au



Jersey 10 bar SQUARE
MS10

AVAILABLE IN
5 finishes

-  POLISHED STAINLESS
-  JAGUAR BLACK
-  BRUSHED STAINLESS
-  BRUSHED GUN-METAL
-  BRUSHED BRASS

Heated Towel Rails

JERSEY SQUARE

10 BAR

Product Code

MS10/ MS10 Black/
MS10 BSS/ MS10 GM/
MS10 Brass

Dimensions (mm)

620(w) x 1340(h) x 120(d)

Features

10 bars

Hand polished mirror finish

High grade stainless steel

Dual wired - can connect from
LH or RH bottom leg

Concealed wiring kit included

All fixing accessories included


Additional information

110watts, 230-240 Volts,
50 Hz single phase

Class 1 appliance - requires an
earth connection

Ingress Protection Rating - IP45
Splashproof

Drawing



Width centres	Vertical centres
595mm	1140mm



- Notes:**
- Wiring connection is either LH or RH bottom leg and can be a concealed or exposed connection.
 - It should be positioned at least 600mm above the floor.

Tranquillity New Zealand Ltd

NEW ZEALAND T 0800 805 558 E info@tbw.co.nz W tbw.co.nz

AUSTRALIA T 1300 621 151 E info@formebathroomcollection.com.au W formebathroomcollection.com.au