

# SUPPLIER DECLARATION OF CONFORMITY (SDoC)

In accordance with ISO/IEC 17050-1:2004

SDoC Identification Number<sup>1</sup>: 01122020 Towel Rails

## Issuer details

Name<sup>2</sup> (of New Zealand manufacturer or importer):

TRANQUILLITY NEW ZEALAND LTD

Telephone: +64 9 8204001

New Zealand Company No. (if applicable): 1375302

Email Address: info@tbw.co.nz

Contact Address:

483A ROSEBANK ROAD  
AVONDALE, AUCKLAND 1026

PO BOX 19144, AVONDALE, AUCKLAND 1746

Medium Risk Article – Details<sup>3</sup> (Product name, type, rating, brand, model, batch numbers, and serial numbers, as applicable):

TRANQUILLITY HEATED TOWEL RAILS – ALL MODELS (refer Model list 01122020 Models)

The Medium Risk Article listed above, fully complies:

With cited standard(s), as listed<sup>4</sup>:

Standard number and issue year: AS/NZS 60335.2.43:2005

Edition / Amendment status: incl Amendments 1 -2

Standard title:

Safety of Household & Similar Electrical Appliances  
Part 2.43 – Particular Requirements for Clothes Dryers  
and Towel Rails

Standard number and issue year: AS/NZS 60335.1:2002

Edition / Amendment status: incl Amendments 1 to 4

Standard title:

Household and similar electrical appliances – Safety –  
Part 1: General requirements

AS/NZS ZZ modified Yes  No  N/A

AS/NZS ZZ modified Yes  No  N/A

OR Complies with the Conformity Cooperation Agreement<sup>5</sup> Yes  No

Names and addresses of any testing organisation or body

Name(s): SPECTRUM  
LABORATORIES

Address(es): 1/25 Highbrook Drive, East Tamaki, Auckland  
PO Box 259-182 Greenmount Auckland 1730

Name(s): UNDERWRITER  
LABORATORIES

Address(es): 10 Vanadium Place, PO Box 9194,  
Addington 8243 Christchurch

Reference to relevant test reports/certification and the issue date that show how compliance is achieved

Standard(s) or document(s) used, to show how compliance  
with cited standard is achieved:

AS/NZS 60335.1.43:2011 (including Amendments 1-5)  
AS/NZS 60335.2:2018  
AS/NZS 60335.2.43:2005 (including Amendments 1-2)  
AS/NZS 60335.1:2011 (including Amendments 1 to 3)  
AS/NZS 60335.2.43:2005 (including Amendments 1-2)  
AS/NZS 60335.1:2002 (including Amendments 1 to 4)  
BS EN 60335-2-43:2003  
BS EN 60335-1:2002 (including 2 Amds & 1 corrigendum)

Report Certification or Document  
reference N°(s):

Report No 8368

Report No. 6873A

Report No. 5891A

Report No. 13666-01

Issue dates(s):

3<sup>rd</sup> Dec 2020

20<sup>th</sup> Jan 2020

22<sup>nd</sup> August 2013

19<sup>th</sup> May 2008

Reference to any management quality system involved:

Additional information<sup>6</sup>: This SDOC needs to be read in conjunction with Model List ref # 01122020 Models

Declaration (signed for and on behalf of)


Name and position as authorized by the issuer<sup>7</sup>:

PAUL FIELDING – MANAGING DIRECTOR

Issuer Identification (as affixed to the article):

tranquillity  
bathroom collection

Signature:



Date:

1<sup>st</sup> December 2020

# SUPPLIER DECLARATION OF CONFORMITY (SDoC)

In accordance with ISO/IEC 17050-1:2004

## Notes for completion

1. Every declaration of conformity should be uniquely identified.
2. The responsible issuer must be unequivocally specified.
3. The "Article" must be unequivocally described so that the declaration of conformity may be related to the article in question. For mass-produced-products, it is not necessary to give individual serial numbers. Where variants of an article are to be covered, these must be detailed.
4. The cited standard is the applicable specific safety standard exactly as it is cited in [Schedule 4 of the Electricity \(Safety\) Regulations 2010](#) or AS/NZS 3820, at the date that the declaration is signed. Where a valid Approval exists for a product issued by an Australian State Regulator Office (only), a copy of the Approval Certificate maybe used as evidence of compliance with the alternative AS/NZS 3820.
5. This is for products imported and offered for sale under the explicit control of the China "Conformity Cooperation Agreement" such product will be marked in accordance with that agreement and NZ suppliers of such product should obtain documentary evidence to support any claim that a product is covered by the agreement. Warning a product offered for sale that is marked in accordance with the CCA, that is not actually covered by the CCA is illegal and subject to a fixed Infringement Fee fine.
6. Text should appear here only if any limitation on the validity of the declaration of conformity and/or any additional information are given.
7. Full name and function of the signing person(s) authorised by the issuer's management to sign on its behalf should be given. The number of signatures, or equivalent, included will be the minimum determined by the legal form of the issuer's organisation.

## Continuing validity of the declaration of conformity

The issuer of the declaration of conformity shall have procedures in place to ensure the continued conformity of the medium risk article, as delivered or accepted, with the stated requirements of the declaration of conformity.

The issuer of the declaration of conformity shall have procedures in place to re-evaluate the validity of the declaration of conformity, in the event of:-

- a) changes significantly affecting the article design or specification,
- b) changes to the standards which conformity of the article is stated,
- c) changes in the ownership or structure of management of the supplier,
- d) if relevant, or relevant information indicating that the article may no longer conform to the specified requirements.

## Additional information regarding the declaration

"Issuer Identification" as affixed to the article: this marking should identify the issuer of the SDoC and may be for example in the form of a NZ GST N°, NZ Company N°, Unique NZ brand name or trademark, or SCN issued by Radio Spectrum Management (this number can be used, even if a C-tick is not required for the article), etc. Failure to mark a product with such unique identification may result in the issuer being held responsible for compliance of an article that may not have been supplied by the issuer, unless the issuer can prove otherwise! This is particularly relevant where the same or very similar model is or may be imported or manufactured, by other NZ suppliers.

A copy of the SDoC and test report(s) (certification) and/or other supporting compliance documentation must be available, if the supporting compliance documentation is not available directly from issuer, the name and address of from where it can be obtained from, must be provided by any supplier within the New Zealand supply chain. (Note: A copy of the SDoC and supporting documentation must be available within 10 working days after being asked to do so, by Energy Safety, a purchaser, or other consumer, of the article declared).

A person who sells or offers for sale, a declared medium risk article commits an offence, if at the time of sale or offer to sell, a valid declaration of conformity for the article has not been made, or the person cannot provide a copy of the declaration of conformity, along with the required supporting documentation, within the timeframe allowed. Penalties associated with a grade A offence are fines, not exceeding \$10,000 for an individual or \$50,000 for a body corporate (company) if successfully prosecuted, or a fixed infringement fee, of \$1,000 for an individual or \$3,000 for a body corporate (company).

See [listings of the current regulatory definitions for electrical equipment deemed to be medium risk articles](#), on the Energy Safety website [www.energysafety.govt.nz](http://www.energysafety.govt.nz).

This form can be edited to increase any text box size, in order to insert more detail, than the current space allows, if required.

This is an example ISO/IEC 17050-1 form for a recognised declaration of conformity; any other form complying with the requirements of ISO/IEC 17050-1:2004, may be used instead, for the purpose of Electricity Regulation 83.

Nothing prevents this form being extended to act as an SDoC, for other regulatory purposes.

**This completed form remains with the issuer as part of the documentation required as evidence of compliance**  
DO NOT submit a copy of this form to Energy Safety unless specifically requested to do so.

Model	Product name	Type	Rating	Brand
<b>Designer Range</b>				
PSG/PSG Black	G Range - square; 600 x 800 x 115mm, 60W, 4 bars	Right	IP45	Tranquillity
PSPC	Paper clip square - 400 x 1200 x 115mm, 80W, 4 bars	Right	IP45	Tranquillity
PSS/PSS Black	S Range - square; 900 x 650 x 115mm, 60W, 5 bars	Right	IP45	Tranquillity
<b>Jersey Round</b>				
ER4	Jersey round; 500 x 550 x 120mm, 4 bars, 40W	Multiconnect	IP45	Tranquillity
ER6/ER6 Black/ ER6 BSS	Jersey round; 780 x 600 x 120mm, 6 bars, 60W	Multiconnect	IP45	Tranquillity
ER9	Jersey round; 1200 x 600 x 120mm, 9 bars, 90W	Multiconnect	IP45	Tranquillity
<b>Jersey Square</b>				
MS4	Jersey square; 500 x 620 x 120mm, 4 bars, 40W	Multiconnect	IP45	Tranquillity
MS7/MS7 Black/ MS7 BSS	Jersey square; 920 x 620 x 120mm, 7 bars, 80W	Multiconnect	IP45	Tranquillity
MS10	Jersey square; 1340 x 620 x 120mm, 10 bars, 110W	Multiconnect	IP45	Tranquillity
<b>Manhattan Curved Round</b>				
MC6	Manhattan curved round; 700 x 620 x 150mm, 6 bars, 60W	Multiconnect	IP45	Tranquillity
MC9	Manhattan curved round; 940 x 620 x 150mm, 9 bars, 90W	Multiconnect	IP45	Tranquillity
MC12	Manhattan curved round; 1180 x 620 x 150mm, 12 bars, 120W	Multiconnect	IP45	Tranquillity
<b>Platino Rectangular</b>				
PRE56	Platino rectangular; 680 x 600 x 120mm, 5 bars, 50W	Multiconnect	IP45	Tranquillity
PRE58	Platino rectangular; 680 x 850 x 120mm, 5 bars, 70W	Multiconnect	IP45	Tranquillity
PRE8	Platino rectangular; 1100 x 600 x 120mm, 8 bars, 80W	Multiconnect	IP45	Tranquillity
<b>Single bars - round and square</b>				
PRB45/PRB45Black/ PRB45 BSS	Single bar - round tube, 450mm x 110mm, 9W	Right	IP45	Tranquillity
PRB60/PRB60Black/ PRB60 BSS	Single bar - round tube, 600mm x 110mm, 14W	Right	IP45	Tranquillity
PRB85/PRB85Black/ PRB85 BS	Single bar - round tube, 850mm x 110mm, 18W	Right	IP45	Tranquillity
PSB45/PSB45Black/ PSB45 BSS	Single bar - square tube, 450mm x 110mm, 9W	Right	IP45	Tranquillity
PSB60/PSB60Black/ PSB60 BSS	Single bar - square tube, 600mm x 110mm, 14W	Right	IP45	Tranquillity
PSB85/PSB85Black/ PSB85 BSS	Single bar - square tube, 850mm x 110mm, 18W	Right	IP45	Tranquillity
<b>Ensuite Round</b>				
MENR7	Ensuite round; 920 x 450 x 120mm, 7 bars, 60W	Multiconnect	IP45	Tranquillity
MENR10	Ensuite round; 1340 x 450 x 120mm, 10 bars, 80W	Multiconnect	IP45	Tranquillity
<b>Premium Range - Round</b>				
HTR-TR1451	Premium Round; 850 x 510 x 120mm, 14 bars, 110W	Multiconnect	IP45	Tranquillity
HTR-TR1851	Premium Round; 1150 x 510 x 120mm , 18 bars, 150W	Multiconnect	IP45	Tranquillity
HTR-TR1870	Premium Round; 1150 x 700 x 120mm, 18 bars, 200W	Multiconnect	IP45	Tranquillity
HTR-TS1451	Premium Square; 850 x 510 x 120mm , 14 bars, 110W	Multiconnect	IP45	Tranquillity
HTR-TS1851	Premium Square; 1150 x 510 x 120mm , 18 bars, 150W	Multiconnect	IP45	Tranquillity
HTR-TS1870	Premium Square; 1150 x 700 x 120mm , 18 bars, 200W	Multiconnect	IP45	Tranquillity
<b>Executive Range - Round</b>				
HTR-TR0601	Executive round; 680 x 520 x 120mm, 6 bars, 50W	Multiconnect	IP45	Tranquillity
HTR-TR0602	Executive round; 680 x 850 x 120mm, 6 bars, 80W	Multiconnect	IP45	Tranquillity
HTR-TR0801	Executive round; 920 x 600 x 120mm, 8 bars, 80W	Multiconnect	IP45	Tranquillity
HTR-TR1101	Executive round; 1280 x 600 x 120mm, 11 bars, 110W	Multiconnect	IP45	Tranquillity
<b>Executive Range - Square</b>				
HTR-TS0601	Executive square; 680 x 520 x 120mm, 6 bars, 50W	Multiconnect	IP45	Tranquillity
HTR-TS0602	Executive square; 680 x 850 x 120mm, 6 bars, 80W	Multiconnect	IP45	Tranquillity
HTR-TS0801	Executive square; 920 x 600 x 120mm, 8 bars, 80W	Multiconnect	IP45	Tranquillity
HTR-TS1101	Executive square; 1280 x 600 x 120mm, 11 bars, 110W	Multiconnect	IP45	Tranquillity