## Heated Towel Rail - Reference Table



DESIGNER RANGE	Shape	Finish	IP Rating	Bars	Width	Height	Depth	Width centres	Vertical centres	Wattage	Concealed cable	Cable
PSG / PSG Black	Square	SS/MB	IP45	4	800	600	115	765	575	60W	Included	R
PSPC	Square	SS	IP45	4	1200	400	115	1165	255	80W	Included	R
PSS / PSS Black	Square	SS/MB	IP45	5	650	900	115	-	-	60W	Included	R

JERSEY ROUND AND SQUARE	Shape	Finish	IP Rating	Bars	Width	Height	Depth	Width centres	Vertical centres	Wattage	Concealed cable	Cable
ER4/ER4 Black/ER4 BSS/ER4 GM/ER4 Brass	Round	SS/MB/BSS/GM/BRASS	IP45	4	550	500	120	520	300	40W	Included	Universal
ER6/ER6 Black/ER6 BSS/ER6 GM/ER6 Brass	Round	SS/MB/BSS/GM/BRASS	IP45	6	600	780	120	565	580	60W	Included	Universal
ER9/ER9 Black/ER9 BSS/ER9 GM/ER9 Brass	Round	SS/MB/BSS/GM/BRASS	IP45	9	600	1200	120	565	1000	90W	Included	Universal
MS4/MS4 Black/MS4 BSS/MS4 GM/MS4 Brass	Square	SS/MB/BSS/GM/BRASS	IP45	4	620	500	120	595	300	40W	Included	Universal
MS7/MS7 Black/MS7 BSS/MS7 GM/MS7 Brass	Square	SS/MB/BSS/GM/BRASS	IP45	7	620	920	120	595	720	80W	Included	Universal
MS10/MS10 Black/MS10 BSS/MS10 GM/MS10 Brass	Square	SS/MB/BSS/GM/BRASS	IP45	10	620	1340	120	595	1140	110W	Included	Universal

JERSEY ROUND AND SQUARE	Shape	Finish	IP Rating	Bars	Width	Height	Depth	Width centres	Vertical centres	Wattage	Concealed cable	Cable
ER4/ER4 Black/ER4 BSS/ER4 GM/ER4 Brass	Round	SS/MB/BSS/GM/BRASS	IP45	4	550	500	120	520	300	40W	Included	Universal
ER6/ER6 Black/ER6 BSS/ER6 GM/ER6 Brass	Round	SS/MB/BSS/GM/BRASS	IP45	6	600	780	120	565	580	60W	Included	Universal
ER9/ER9 Black/ER9 BSS/ER9 GM/ER9 Brass	Round	SS/MB/BSS/GM/BRASS	IP45	9	600	1200	120	565	1000	90W	Included	Universal
MS4/MS4 Black/MS4 BSS/MS4 GM/MS4 Brass	Square	SS/MB/BSS/GM/BRASS	IP45	4	620	500	120	595	300	40W	Included	Universal
MS7/MS7 Black/MS7 BSS/MS7 GM/MS7 Brass	Square	SS/MB/BSS/GM/BRASS	IP45	7	620	920	120	595	720	80W	Included	Universal
MS10/MS10 Black/MS10 BSS/MS10 GM/MS10 Brass	Square	SS/MB/BSS/GM/BRASS	IP45	10	620	1340	120	595	1140	110W	Included	Universal

MANHATTAN ROUND CURVED	Shape	Finish	IP Rating	Bars	Width	Height	Depth	Width centres	Vertical centres	Wattage	Concealed cable	Cable
MC6	Round	SS	IP45	6	620	700	150	590	500	60W	Included	Universal
MC9	Round	SS	IP45	9	620	940	150	590	740	90W	Included	Universal
MC12	Round	SS	IP45	12	620	1180	150	590	980	120W	Included	Universal

PLATINO RECTANGULAR	Shape	Finish	IP Rating	Bars	Width	Height	Depth	Width centres	Vertical centres	Wattage	Concealed cable	Cable
PRE56	Rectangular	SS	IP45	5	600	680	120	560	480	50W	Included	Universal
PRE58	Rectangular	SS	IP45	5	850	680	120	810	480	70W	Included	Universal
PRE8	Rectangular	SS	IP45	8	600	1100	120	560	900	80W	Included	Universal

SINGLE BARS	Shape	Finish	IP Rating	Bars	Width	Depth	Width centres	Wattage	Concealed cable	Cable
PRB45/PRB45 Black/PRB45 BSS/PRB45 GM/PRB45 Brass	Round	SS/MB/BSS/GM/BRASS	IP45	1	450	110	425	9W	Included	R
PRB60/PRB60 Black/PRB60 BSS/PRB60 GM/PRB60 Brass	Round	SS/MB/BSS/GM/BRASS	IP45	1	600	110	575	14W	Included	R
PRB85/PRB85 Black/PRB85 BSS/PRB85 GM/ PRB85 Bras	Round	SS/MB/BSS/GM/BRASS	IP45	1	850	110	825	18W	Included	R
PSB45/PSB45 Black/PSB45 BSS/PSB45 GM/PSB45 Brass	Square	SS/MB/BSS/GM/BRASS	IP45	1	450	110	425	9W	Included	R
PSB60/PSB60 Black/PSB60 BSS/PSB60 GM/PSB60 Brass	Square	SS/MB/BSS/GM/BRASS	IP45	1	600	110	575	14W	Included	R
PSB85/PSB85 Black/PSB85 BSS/PSB85 GM/PSB85 Brass	Square	SS/MB/BSS/GM/BRASS	IP45	1	850	110	825	18W	Included	R
HFB100	Single ra	il fixing kit – Includes 1 fixir	na bar. 1 t	ransformer (100 v	vatts), fix	cina set	& instructions	100W		

VERTICAL BARS	Shape	Finish	IP Rating	Width	Height	Depth	Vertical centres	Wattage	Concealed cable	Cable
PRV1000/PRV1000 BLACK/PRV1000 BSS/PRV1000 GM /PRV1000 Brass	Round	SS/MB/BSS/GM/BRASS	IP45	150	1000	100	880	22W	Included	Top leg
PSV1000/PSV1000 BLACK/PSV1000 BSS/PSV1000 GM /PSV1000 Brass	Square	SS/MB/BSS/GM/BRASS	IP45	150	1000	100	880	22W	Included	Top leg

ENSUITE RANGE	Shape	Finish	IP Rating	Bars	Width	Height	Depth	Width centres	Vertical centres	Wattage	Concealed cable	Cable	(
MENR7/MENR7 BSS	Round	SS/BSS	IP45	7	450	920	120	415	720	60W	Included	Universal	
MEN10	Round	SS	IP45	10	450	1340	120	415	1140	80W	Included	Universal	l

EXECUTIVE RANGE	Shape	Finish	IP Rating	Bars	Width	Height	Depth	Width centres	Vertical centres	Wattage	Concealed cable	Cable
HTR-TR0601	Round	SS	IP45	6	520	680	120	485	480	50W	Included	Universal
HTR-TR0602	Round	SS	IP45	6	850	680	120	820	480	80W	Included	Universal
HTR-TR0801	Round	SS	IP45	8	600	920	120	567	720	80W	Included	Universal
HTR-TR1101	Round	SS	IP45	11	600	1280	120	567	1080	110W	Included	Universal
HTR-TS0601	Square	SS	IP45	6	520	680	120	490	480	50W	Included	Universal
HTR-TS0602	Square	SS	IP45	6	850	680	120	820	480	80W	Included	Universal
HTR-TS0801	Square	SS	IP45	8	600	920	120	567	720	80W	Included	Universal
HTR-TS1101	Square	SS	IP45	11	600	1280	120	567	1080	110W	Included	Universal

PREMIUM RANGE	Shape	Finish	IP Rating	Bars	Width	Height	Depth	Width centres	Vertical centres	Wattage	Concealed cable	Cable
HTR-TR1451	Round	SS	IP45	14	510	850	120	475	720	110W	Included	Universal
HTR-TR1851	Round	SS	IP45	18	510	1150	120	480	1020	150W	Included	Universal
HTR-TR1870	Round	SS	IP45	18	700	1150	120	670	1020	200W	Included	Universal
HTR-TS1451	Square	SS	IP45	14	510	850	120	480	720	110W	Included	Universal
HTR-TS1851	Square	SS	IP45	18	510	1150	120	480	1020	150W	Included	Universal
HTR-TS1870	Square	SS	IP45	18	700	1150	120	670	1020	200W	Included	Universal
TIMER-IWT	Tranquillit	y Heated Towel Rail Timer, 240	<b>V</b> – Can be	used wi	th all Tranqu	illity Heat	ed Towel	Rails				

Note: Please ensure that you have your heated towel rail on site before you fix anything to the wall. These measurements have a tolerance of  $\pm$  5mm and as such cannot be used as a template for the fixings.









